



LA CUSBOONAYSIIYAMAarso 15, 2017-ka

DugsiyadaDadweynahaPortland waxay cusboonaysiindoontaaisla markaana joogtayndoontaa liiska su'aalaha iyojawaabaha intabadan laisweydiiyo ee ku saabsantayada biyahaee dugsiyadeena. Su'aalaha waxaa lagaudbin karaa pubinfo@pps.net.

Saamaynta Caafimaad ee Kiimikada Lead ee ku jirta Biyaha la Cabo

Q. Halkee ayaan ka heli karaa macluumaad ku saabsan saamaynta caafimaad ee kiimikada lead ee ku jirta biyaha la cabo?

A: WaaxdaCaafimaadka DegaankaMultnomah iyo MaamulkaCaafimaadkaOregon waahay'adaha khibrada u leh isla markaana ma'uulka ka ahka hortaggaiyo wax ka qabashada saamaynta caafimaadee kiimikada lead. Websiteka waaxdacaafimaadka [www.multco.us/health/lead - poinsoning-prevention](http://www.multco.us/health/lead-poinsoning-prevention) ayaabixiya macluumaadwanaagsan iyojawaaboku saabsan macmuulaadkakiimikada lead. Waxaysidoo kale leeyihiin khadka loogu

ah oo ku saabsan fasalada caafimaad ee soo socda adigaoo booqanaya
<https://multco.us/health/lead-poisoning-prevention/test-your-child-lead>.

Q: Halkee ayay qoysasku ka ogaan karaan waxyaabo dheeraad ah oo ku saabsan heerarka kiimikada lead iyo khataraha caafimaad ee ay leedahay?

A: Degaanka Multnomahayaahawlgeliya "khadka kiimikada lead" email ayaaloo diri karaa leadline@multco.us iyada oo khadkatelefoonka ee macluumaadkan lagawici karo 503-988-4000.

Su'aalaha Kale

Q: Sidee ayaa cuntada dugsiya loo diyaariyaa?

A: PPS waxay dhaqangelisay nidaam tuubooyinka biyaha dwTj0Tw [5j [(2016.019 Tc 0.019 T.)-d-34(8)-(7T

DRAFT

DR

DRAFT